


LIGI-10 FLEX a16 - b10/b12/b14/b16



KA	a16/b10		a16/b12		a16/b14		a16/b16	
	SA	SF	SA	SF	SA	SF	SA	SF
00								
a01	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
a02	22.5	30.0	22.5	30.0	22.5	30.0	22.5	30.0
a03	22.5	52.5	22.5	52.5	22.5	52.5	22.5	52.5
a04	22.5	75.0	22.5	75.0	22.5	75.0	22.5	75.0
a05	22.5	97.5	22.5	97.5	22.5	97.5	22.5	97.5
a06	22.5	120.0	22.5	120.0	22.5	120.0	22.5	120.0
a07	22.5	142.5	22.5	142.5	22.5	142.5	22.5	142.5
a08	22.5	165.0	22.5	165.0	22.5	165.0	22.5	165.0
a09	22.5	187.5	22.5	187.5	22.5	187.5	22.5	187.5
a10	22.5	210.0	22.5	210.0	22.5	210.0	22.5	210.0
a11	22.5	232.5	22.5	232.5	22.5	232.5	22.5	232.5
a12	22.5	255.0	22.5	255.0	22.5	255.0	22.5	255.0
a13	22.5	277.5	22.5	277.5	22.5	277.5	22.5	277.5
a14	22.5	300.0	22.5	300.0	22.5	300.0	22.5	300.0
a15	22.5	322.5	22.5	322.5	22.5	322.5	22.5	322.5
a16	7.5	352.5	7.5	352.5	7.5	352.5	7.5	352.5
00								
b01	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
b02	22.5	30.0	22.5	30.0	22.5	30.0	22.5	30.0
b03	22.5	52.5	22.5	52.5	22.5	52.5	22.5	52.5
b04	22.5	75.0	22.5	75.0	22.5	75.0	22.5	75.0
b05	22.5	97.5	22.5	97.5	22.5	97.5	22.5	97.5
b06	22.5	120.0	22.5	120.0	22.5	120.0	22.5	120.0
b07	22.5	142.5	22.5	142.5	22.5	142.5	22.5	142.5
b08	22.5	165.0	22.5	165.0	22.5	165.0	22.5	165.0
b09	22.5	187.5	22.5	187.5	22.5	187.5	22.5	187.5
b10	7.5	217.5	22.5	210.0	22.5	210.0	22.5	210.0
b11			22.5	232.5	22.5	232.5	22.5	232.5
b12			7.5	262.5	22.5	255.0	22.5	255.0
b13					22.5	277.5	22.5	277.5
b14					7.5	307.5	22.5	300.0
b15							22.5	322.5
b16							7.5	352.5

KA = channels
 SA = beam distances
 SF = height of protected area